CLERMONT FERRAND AUVERGNE STAR RNAV RWY SUD / SOUTH

(Protégées pour / Protected for CAT A, B, C, D)

					STAI	STAR RNAV RWY SUD	W SUD				
RMK	GNSS required						MAC	MAG VAR 2020 1.4	1.4°E	REF NAVAID:	
Procedure Identifcation	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	irection MAG Direction True	Distance (NM)	Turn direction	MNM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	NAV Spec
HLDG											
AMDAS		AMDAS		•							
MINPA 9A											
	느	MINPA							FL 140		RNAV 1
	TF	AMDAS		033	034.5	42.2		FL 090			RNAV 1
SOMTI 9A											
	Ы	SOMTI							FL 140	-	RNAV 1
	1L	AMDAS	•	990	9.790	36.9		PL 090		-	RNAV 1
SOPAD 9A											
	Ы	SOPAD	-					-		-	RNAV 1
	1L	AMDAS	-	274	275.2	19.6		PL 090		-	RNAV 1
PIMAK 9A											
	Ы	PIMAK	-					-		-	RNAV 1
	TF	AMDAS		325	326.7	20.8		FL 090		-	BNAV 1