APPROCHE AUX INSTRUMENTS


ALT AD: 1092, DTHR: 1058 (38 hPa)

CLERMONT FERRAND AUVERGNE

Instrument approach

CAT A B C D

FNA RNP Z RWY 26 (LPV ONLY)



CAT	LPV			API / Missed APCH 5%			MVL/Circling				
	DA (H)	RVR	OCH	DA (H)	RVR	OCH	MDA (H)	VIS			
Α	1380 (330)	800	327	1340 (280)	600	276	1750 (690)	1500			
В	1390 (340)	800	339	1350 (290)	650	288	2260 (1200)	1600			
C	1400 (350)	900	347	1360 (300)	650	296	2720 (1670)	2400			
D	1570 (510)	1600	505	1370 (310)	700	306	3240 (2180)	3600			
Observations / Remarks: Panne de quidage GNSS lors de l'approche / Loss of GNSS quidance during approach: voir/see AIP ENR 1.5.											

Observations / Remarks : Panne de guidage GNSS lors de l'approche / Loss of GNSS guidance during approach : voir/see AIP ENR 1.5.

(2) MVL interdites au Sud / Circling prohibited in the South.

		70 kt	85 kt	100 kt	115 kt	130 kt	145 kt	160 kt	185 kt
FAP - DTHR	8.9 NM	7 min 36	6 min 16	5 min 19	4 min 38	4 min 06	3 min 41	3 min 20	2 min 53