

VILLACOUBLAY VELIZY
RWY09 (2A - 2B)
(Protégés pour / Protected for CAT A, B, C)

SID RNAV RWY09											
RMK	GNSS requis/required						MAG VAR 2020	1.0°E	Ref NAVAID : BT		
Procedure Identification	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MNM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	Nav accuracy (NM)
ELCOB 2A											
-	CA	-	-	087	88,3	-	-	1000	-	-	RNAV 1.0
-	CF	PN071	-	075	075.9	-	-	-	-	-	RNAV 1.0
-	TF	OXCEL	Yes	160	161.0	4.2	-	-	-	-	RNAV 1.0
-	DF	PO185	-	-	-	-	R	-	-	-	RNAV 1.0
-	TF	PO189	-	278	278.8	14.8	-	-	-	-	RNAV 1.0
-	TF	PO187	-	278	278.5	14.6	-	-	-	-	RNAV 1.0
-	TF	ELCOB	-	327	328.4	23.5	-	-	-	-	RNAV 1.0
LGL 2A											
-	CA	-	-	087	88,3	-	-	1000	-	-	RNAV 1.0
-	CF	PN071	-	075	075.9	-	-	-	-	-	RNAV 1.0
-	TF	OXCEL	Yes	160	161.0	4.2	-	-	-	-	RNAV 1.0
-	DF	PO185	-	-	-	-	R	-	-	-	RNAV 1.0
-	TF	PO189	-	278	278.8	14.8	-	-	-	-	RNAV 1.0
-	TF	PO187	-	278	278.5	14.6	-	-	-	-	RNAV 1.0
-	TF	LGL	-	277	278.2	40.1	-	-	-	-	RNAV 1.0
ELCOB 2B											
-	CA	-	-	087	88,3	-	-	1000	-	-	RNAV 1.0
-	CF	PN071	-	075	075.9	-	-	-	-	-	RNAV 1.0
-	TF	OXCEL	Yes	160	161.0	4.2	-	-	-	-	RNAV 1.0
-	DF	PO185	-	-	-	-	R	-	-	-	RNAV 1.0
-	TF	PO189	-	278	278.8	14.8	-	-	-	-	RNAV 1.0
-	TF	PO191	-	287	287.5	17.0	-	-	-	-	RNAV 1.0
-	TF	ELCOB	-	327	328.4	20.0	-	-	-	-	RNAV 1.0
LGL 2B											
-	CA	-	-	087	88,3	-	-	1000	-	-	RNAV 1.0
-	CF	PN071	-	075	075.9	-	-	-	-	-	RNAV 1.0
-	TF	OXCEL	Yes	160	161.0	4.2	-	-	-	-	RNAV 1.0
-	DF	PO185	-	-	-	-	R	-	-	-	RNAV 1.0
-	TF	PO189	-	278	278.8	14.8	-	-	-	-	RNAV 1.0
-	TF	PO191	-	287	287.5	17.0	-	-	-	-	RNAV 1.0
-	TF	LGL	-	273	274.2	38.0	-	-	-	-	RNAV 1.0