BERGERAC DORDOGNE PERIGORD


APPROCHE AUX INSTRUMENTS

Instrument approach

CAT A B C

ALT AD : 172, **DTHR : 170 (7 hPa)**

RNP RWY 09



) A T		LPV			LNAV-VNAV			LNAV			MVL / Circling (1)		MVL / Circling (1) absence ATS HJ seulement/only		RW09						
ı		DA (H)	RVR	OCH	DA (H)	RVR	OCH	MDA (H)	RVR	OCH	MDA (H)	VIS	MDA (H)	VIS	NM	6	5	4	3	2	1
ſ	Α			181			218		1500		1110 (940)	1500	1350 (1180)	1500	ALT (LICT)	2450	2080	1710	1330		590
١	В	420 (250)	1300	196	420 (250)	1300	232	520 (350)	1500	344	1110 (940)	1600	1350 (1180)	1600	(HGT)	(2280) (191)) (1540)	(1160)	(790)	(420)
١	C			206			242		1600		1210 (1040)	2400	1450 (1280)	2400							

|--|

FBE09 - RW09	6.1 NM	70 kt 5 min 16	80 kt 4 min 36	90 kt 4 min 05	100 kt 3 min 41	110 kt 3 min 21	120 kt 3 min 04	130 kt 2 min 50	140 kt 2 min 38	150 kt 2 min 27	160 kt 2 min 18
VSP (ft/min)		435	495	555	620	680	745	805	865	930	990