

LYON SAINT EXUPERY

PRECODING INA RNAV RWY 17L

RMK	INA RNAV RWY17L										REF NAVAIID :		
	GNSS ou/ou DME-DME (IFU requis/required) Associé à / linked to FNA RWY 17L et/and FNA ILS RWY 17L	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MNM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	Vertical angle (°) / TCH (ft)	Navigation Accuracy (NM)
HLDG		ARBON		-	-	-	-	-	-	-	-	-	-
		GOMET		-	-	-	-	-	-	-	-	-	-
		RIPTU		-	-	-	-	-	-	-	-	-	-
		TALAR		-	-	-	-	-	-	-	-	-	-
INA RIPTU 3S	IF	RIPTU		-	-	-	-	-	FL70	-	-	-	-
	TF	LL713		237	239.2	5.1	-	5000	-	-	-	-	1.0
	TF	LL711		237	239.1	4.0	-	-	-	-	-	-	1.0
	TF	LL710		236	239.0	4.0	-	4000	-	220	-	-	1.0
	TF	EKMPEP		172	174.8	4.0	-	3000	4500	220	-	-	1.0
INA TALAR 3S	IF	TALAR		-	-	-	-	-	FL70	-	-	-	-
	TF	LL714		072	075.0	11.5	-	5000	-	-	-	-	1.0
	TF	LL712		092	094.7	4.0	-	-	-	-	-	-	1.0
	TF	LL710		092	094.8	4.0	-	4000	-	220	-	-	1.0
	TF	EKMPEP		172	174.8	4.0	-	3000	4500	220	-	-	1.0
INA ARBON 3S	IF	ARBON		-	-	-	-	-	FL100	-	-	-	-
	TF	LL706		011	013.8	16.5	-	FL080	-	-	-	-	1.0
	TF	LL704		352	354.3	14.8	-	-	-	-	-	-	1.0
	TF	LL702		352	354.3	4.0	-	5000	-	-	-	-	1.0
	TF	LL700		017	019.6	4.0	-	4000	-	220	-	-	1.0
	TF	EKMPEP		084	086.1	3.9	-	3000	4500	220	-	-	1.0
INA GOMET 3S	IF	GOMET		-	-	-	-	-	-	-	-	-	-
	TF	LL719		326	328.4	10.3	-	-	-	-	-	-	1.0
	TF	LL709		355	357.6	8.6	-	FL100	-	-	-	-	1.0
	TF	LL707		355	357.6	6.8	-	FL070	-	-	-	-	1.0
	TF	LL705		330	332.3	4.9	-	-	-	-	-	-	1.0
	TF	LL703		315	317.9	4.0	-	5000	-	-	-	-	1.0
	TF	LL701		315	317.9	4.0	-	4000	-	220	-	-	1.0
	TF	EKMPEP		262	264.3	4.2	-	3000	4500	220	-	-	1.0