

RNP D RWY 22L-22R												
RMK	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MNM Altitude (FL or AMSL ft)	MAG VAR 2025 3.0 E	MAX IAS (kt)	Vertical angle (°) / TCH (ft)	Navigation Accuracy (NM)
Leg sequence												
HLDG	-	NERAS	-	-	-	-	-	-	-	-	-	-
INA MUS	IF	MUS	Yes	-	-	-	-	FL 080	-	-	-	-
	FM	MUS	-	090	-	-	-	-	-	-	-	1.0
	DF	MN261	-	-	-	-	-	FL 080	FL120	-	-	1.0
	TF	MN260	-	071	074.5	11.1	-	-	-	-	-	1.0
	TF	SOTOX	-	072	074.6	7.0	-	-	FL 070	-	-	1.0
	TF	NANAX	-	347	350.1	5.0	-	3000	4000	200	-	1.0
INA NERAS	IF	NERAS	Yes	-	-	-	-	4000	-	-	-	-
	FM	NERAS	-	270	-	-	-	-	-	-	-	1.0
	DF	MN271	-	-	-	-	-	4000	FL 100	-	-	1.0
	TF	MN270	-	219	221.6	6.7	-	-	-	-	-	1.0
	TF	SOTOX	-	263	265.9	7.0	-	-	FL 070	-	-	1.0
	TF	NANAX	-	347	350.1	5.0	-	3000	4000	200	-	1.0
APCH	IF	NANAX	-	-	-	-	-	3000	4000	200	-	-
	TF	FN22D	-	302	305.1	3.0	-	3000	3000	-	-	1.0
	TF	MN22D	Yes	302	305.1	6.0	-	-	-	-	-3.00 / -	0.3
	DF	MN412	-	-	-	-	L	-	-	185	-	1.0
	TF	MN404	-	113	116.2	11.7	-	-	-	-	-	1.0
	TF	MN414	-	103	105.8	9.6	-	-	-	-	-	1.0
	TF	NERAS	-	032	034.9	5.8	-	-	3000	-	-	1.0