

NICE COTE D'AZUR
SID RWY 04 L/R
(Protégés pour / Protected for CAT A, B, C, D)

SID RNAV RWY 04L/04R											
RMK	GNSS ou/ or DME/DME/IRU (1) VA acceptable. (2) GNSS seulement / only. (3) DME NIZ requis pour / required for DME/DME/IRU.									MAG VAR 2025 3.0°E	REF NAVID : AZR
Procedure Identification	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MNM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	Navigation Accuracy
BASIP 8A (2)											
-	CA (1)	-	-	042	045.0	-	-	412	-	-	1.0
-	VI	-	-	129	132.4	-	R	-	-	-	1.0
-	CF	MN149	-	067	069.7	-	L	-	-	210	1.0
-	TF	USANO	-	067	069.8	10.5	-	-	-	-	1.0
-	TF	TIVNO	-	046	048.5	4.1	-	-	-	-	1.0
-	TF	BASIP	-	046	048.6	10.3	-	-	-	-	1.0
PERUS 8A											
-	CA (1)	-	-	042	045.0	-	-	412	-	-	1.0
-	DF	MN047	-	-	-	-	R	-	-	-	1.0
-	TF	MN064	-	209	211.8	5.4	R	5500	-	-	1.0
-	TF	ORKAC	-	305	308.1	7.4	R	FL070	-	210	1.0
-	TF	AMIRO	-	317	320.4	25.8	-	-	-	-	1.0
-	TF	PERUS	-	292	294.8	30.7	-	-	-	-	1.0
BODRU 8A											
-	CA (1)	-	-	042	045.0	-	-	412	-	-	1.0
-	DF	MN047	-	-	-	-	R	-	-	-	1.0
-	TF	MN064	-	209	211.8	5.4	R	5500	-	-	1.0
-	TF	ORKAC	-	305	308.1	7.4	R	FL070	-	210	1.0
-	TF	AMIRO	-	317	320.4	25.8	-	-	-	-	1.0
-	TF	BODRU	-	312	315.2	22.7	-	-	-	-	1.0
BADOD 8A											
-	CA (1)	-	-	042	045.0	-	-	412	-	-	1.0
-	DF	MN047	-	-	-	-	R	-	-	-	1.0
-	TF	MN064	-	209	211.8	5.4	R	5500	-	-	1.0
-	TF	ORKAC	-	305	308.1	7.4	R	FL070	-	210	1.0
-	TF	AMIRO	-	317	320.4	25.8	-	-	-	-	1.0
-	TF	BADOD	-	327	330.0	18.9	-	-	-	-	1.0