

MONTPELLIER MEDITERRANEE

PRECODING RNP RWY 12L

RNP RWY 12L												
RMK	MAG VAR 2025 2,3°E											REF NAVID :
Leg sequence	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MNIM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	Vertical angle (°) / TCH (ft)	Navigation Accuracy (NM)
HLDG	-	GIGNA	-	-	-	-	-	-	-	-	-	-
	-	ESPIG	-	-	-	-	-	-	-	-	-	-
INA GIGNA	IF	GIGNA	-	-	-	-	-	-	-	-	-	-
	TF	MT505	-	45	47.1	6.7	-	5000	-	-	-	1.0
	TF	IT12L	-	118	120.6	6.5	-	3000	-	185	-	1.0
INA MT500	IF	MT500	-	-	-	-	-	3000	-	185	-	-
	TF	IT12L	-	032	034.7	3.8	-	3000	-	185	-	1.0
	IF	MT502	-	-	-	-	-	4000	-	185	-	-
INA MT502	TF	MT504	-	249	251.7	4.5	-	3000	3000	-	-	1.0
	TF	IT12L	-	212	214.7	2.6	-	3000	-	185	-	1.0
	IF	LEKLA	-	-	-	-	-	-	-	-	-	-
INA LEKLA	TF	MT503	-	118	120.3	6.7	-	FL070	-	-	-	1.0
	TF	MT505	-	118	120.6	7.0	-	5000	-	-	-	1.0
	TF	IT12L	-	118	120.6	6.5	-	3000	-	185	-	1.0
	IF	IT12L	-	-	-	-	-	3000	-	185	-	-
	TF	FT12L	-	122	124.6	3.6	-	2500	2500	-	-	1.0
APCH	TF	RW12L	Yes	122	124.6	6.2	-	-	-	-	-3,7° / 49	0.3
	TF	ESPIG	-	122	124.7	7.9	-	-	-	190	-	1.0
	TF	MT510	Yes	152	154.0	2.5	-	-	2000	190	-	1.0
	DF	ESPIG	Yes	-	-	-	L	-	-	-	-	1.0