

MONTPELLIER MEDITERRANEE

PRECODING RNP RWY 30R

RNP RWY 30R													
RMK	GNSS only					MAG VAR 2025 2,3°E					REF NAVAID :		
	Leg sequence	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MNM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	Vertical angle (°) / TCH (ft)	Navigation Accuracy (NM)
HLDG	-		ESPIG	-	-	-	-	-	-	-	-	-	-
INA MT400	IF		MT400	-	-	-	-	3000	6000	190	-	-	1.0
	TF		IT30R	-	213	214.9	-	-	4000	-	-	-	1.0
INA ESPIG	IF		ESPIG	-	-	-	-	-	4000	220	-	-	1.0
	TF		MT600	-	212	214.7	-	-	-	-	-	-	1.0
	TF		ASTEG	-	117	119.2	-	-	-	190	-	-	1.0
	TF		IT30R	-	032	034.6	-	-	-	-	-	-	1.0
INA ASTEG	IF		ASTEG	-	-	-	-	-	6000	190	-	-	1.0
	TF		IT30R	-	032	034.6	-	-	4000	-	-	-	1.0
	IF		IT30R	-	-	-	-	-	4000	-	-	-	1.0
APCH	TF		FT30R	-	303	304.9	-	2000	2000	-	-	-	1.0
	TF		RW30R	Y	303	304.8	-	-	-	-	-	-3,0°/50	0.3
	TF		MT630	Y	302	304.7	-	-	-	-	-	-	1.0
	DF		MT631	-	-	-	-	R	-	-	190	-	1.0
	TF		MT632	-	132	134.2	-	-	3000	-	-	-	1.0
	TF			-	-	-	-	-	-	-	-	-	-