

BEZIERS VIAS

PRECODING RNP RWY 09

RNP RWY 09												
RMK	MAG VAR 2025 - 2,1°E											
Leg sequence	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MINM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	REF NAV/VAID :-	
											Vertical angle (°) / TCH (ft)	Navigation Accuracy (NM)
HLDG	-	ZR	-	-	-	-	-	-	-	-	-	-
INA ZR	IF	ZR	-	-	-	-	-	-	FL060	190	-	-
	TF	MU504	-	212	213.9	6.6	-	-	5000	-	-	1.0
	TF	MU500	-	283	284.7	4.2	-	3000	-	190	-	1.0
	TF	IMU09	-	002	004.4	5	-	-	-	-	-	1.0
INA EVADO	IF	EVADO	-	-	-	-	-	-	FL060	190	-	-
	TF	MU504	-	281	283.2	11.4	-	-	5000	-	-	1.0
	TF	MU500	-	283	284.7	4.2	-	3000	-	190	-	1.0
	TF	IMU09	-	002	004.4	5	-	-	-	-	-	1.0
INA MU500	IF	MU500	-	-	-	-	-	3000	-	190	-	-
	TF	IMU09	-	002	004.4	5	-	-	-	-	-	1.0
INA MU503	IF	MU503	-	-	-	-	-	4000	-	190	-	-
	TF	IMU09	-	092	094.2	3.6	-	-	-	-	-	1.0
INA MU502	IF	MU502	-	-	-	-	-	4000	-	190	-	-
	TF	IMU09	-	182	184.2	4.5	-	-	-	-	-	1.0
APCH	IF	IMU09	-	-	-	-	-	-	-	-	-	-
	TF	FMU09	-	092	094.2	4	-	2000	2000	-	-	1.0
	TF	RW09	Yes	092	094.3	6	-	-	-	-	-3.0° / 49	0.3
	TF	MU510	-	092	094.4	2.6	-	-	2000	-	-	1.0
	TF	MU511	Yes	092	094.4	3.6	-	-	-	185	-	1.0
DF	EVADO	Yes	-	-	-	R	3000	3000	190	-	1.0	
DF	ZR	-	-	-	-	R	3000	3000	-	-	1.0	