

WALLIS HIHIFO

PRECODING RNP RWY 26

RNP RWY 26												
RMK	MAG VAR 2020 11.6°E											
Leg sequence	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MNM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	Vertical angle (°) / TCH (m)	Ref NAVAID :-
HLDG	-	IWW26	-	-	-	-	-	-	-	-	-	-
INA IWW26	IF	IWW26	-	-	-	-	-	2000	-	-	-	RNP APCH
INA WW412	IF	WW412	-	-	-	-	-	2000	210	210	-	RNP APCH
INA WW412	TF	IWW26	-	168	179.9	5.0	-	2000	-	-	-	RNP APCH
INA WW410	IF	WW410	-	-	-	-	-	2000	210	210	-	RNP APCH
INA WW410	TF	IWW26	-	348	359.9	5.0	-	2000	-	-	-	RNP APCH
INA WW410	IF	IWW26	-	-	-	-	-	2000	210	210	-	RNP APCH
INA WW410	TF	FWW26	-	258	269.9	5.0	-	2000	2000	-	-	RNP APCH
INA WW410	TF	RW26	YES	258	269.9	5.9	-	-	-	-	-3 / 15	RNP APCH
INA WW410	CA	-	-	258	269.9	-	-	1600	1600	185	-	RNP APCH
INA WW410	DF	WW414	-	-	-	-	R	2000	2000	185	-	RNP APCH
INA WW410	TF	WW412	-	078	089.9	8.0	-	2000	2000	210	-	RNP APCH