

SAINT YAN
PRECODING RNP RWY 15 L

Identification Procedure		RNP RWY 15L										MAG VAR 2020 1.6°E			
Leg sequence	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MNMM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	Vertical angle (°) / TCH (m)	Nav Spec			
INA LN400	IF	LN400	-					3700	-	220		RNP APCH			
	TF	IN15L	-	236	238.0	5.0	-	3700	-	-		RNP APCH			
INA LN404	IF	LN404	-					3700	-	220		RNP APCH			
	TF	IN15L	-	056	57.9	5.0	-	3700	-	-		RNP APCH			
INA MOU	IF	MOU	-					4000	-	-		RNP APCH			
	TF	IN15L	-	121	122.6	9.6	-	3700	-	-		RNP APCH			
INA LN406	IF	IN15L	-					3700	-	-		RNP APCH			
	IF	IN15L	-					3700	-	-		RNP APCH			
APCH	TF	FN15L	-	147	148.0	5.0	-	3700	-	-		RNP APCH			
	TF	RW15L	Yes	147	148.0	9.0	-	-	-	-	-3.0/15	RNP APCH			
	TF	LN410	-	147	148.1	5.0	-	-	-	210		RNP APCH			
	TF	LN412	-	237	238.2	6.0	-	-	-	210		RNP APCH			
	TF	GURGO	Yes	300	301.5	5.8	-	-	-	-		RNP APCH			
	TF														

←