

ANNECY-MEYTHET
SID RNAV RWY 22
(Protégés pour / Protected for CAT A, B, C)

SID RNAV RWY 22											
RMK	GNSS required						MAG VAR 2020 2.1°E			REF NAVAID :	
Procedure Identification	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MNM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	NAV Spec
VENAT 8A											
-	CF	SOCOF	Yes	217	219.1	4.8	-	-	-	180	RNAV1
-	DF	LP610	-	-	-	-	R	FL130	-	180	RNAV1
-	TF	VENAT	-	048	049.7	20.7	-	-	-	-	RNAV1
ODIKI 8A											
-	CF	SOCOF	Yes	217	219.1	4.8	-	-	-	180	RNAV1
-	DF	LP610	-	-	-	-	R	FL130	-	180	RNAV1
-	TF	ODIKI	-	130	131.8	7.1	-	FL150	-	200	RNAV1
ESAPI 8A											
-	CF	SOCOF	Yes	217	219.1	4.8	-	-	-	180	RNAV1
-	DF	LP620	-	-	-	-	R	FL130	-	180	RNAV1
-	TF	ESAPI	-	142	144.0	5.7	-	FL150	-	200	RNAV1
PAS 8A											
-	CF	SOCOF	Yes	217	219.1	4.8	-	-	-	180	RNAV1
-	DF	PAS	-	-	-	-	R	-	-	200	RNAV1
PIRUV 8A											
-	CF	SOCOF	-	217	219.1	4.8	-	-	-	-	RNAV1
-	TF	LUVOB	-	251	253.0	15.9	-	-	-	-	RNAV1
-	TF	KENZO	-	276	278.1	4.5	-	-	-	-	RNAV1
-	TF	GOVNA	-	006	008.0	5.1	-	-	-	-	RNAV1
-	TF	PIRUV	-	096	098.0	4.5	-	-	FL090	210	RNAV1
LTP 8A											
-	CF	SOCOF	-	217	219.1	4.8	-	-	-	-	RNAV1
-	TF	TOLNA	-	216	218.4	14.0	-	-	-	250	RNAV1
-	TF	LTP	-	232	234.4	19.5	-	-	-	-	RNAV1
DANBO 8A											
-	CF	SOCOF	-	217	219.1	4.8	-	-	-	-	RNAV1
-	TF	TOLNA	-	216	218.4	14.0	-	-	-	250	RNAV1
-	TF	BELUS	-	267	268.9	9.2	-	-	-	-	RNAV1
-	TF	MAXUS	-	301	303.5	10.7	-	-	-	-	RNAV1
-	TF	DANBO	-	301	303.4	16.2	-	-	-	-	RNAV1
MOKIP 8A											
-	CF	SOCOF	-	217	219.1	4.8	-	-	-	-	RNAV1
-	TF	TOLNA	-	216	218.4	14.0	-	-	-	250	RNAV1
-	TF	BELUS	-	267	268.9	9.2	-	-	-	-	RNAV1
-	TF	MAXUS	-	301	303.5	10.7	-	-	-	-	RNAV1
-	TF	DANBO	-	301	303.4	16.2	-	FL150	-	-	RNAV1
-	TF	MOKIP	-	360	002.6	31.7	-	-	-	-	RNAV1
MEBAK 8A											
-	CF	SOCOF	-	217	219.1	4.8	-	-	-	-	RNAV1
-	TF	TOLNA	-	216	218.4	14.0	-	-	-	250	RNAV1
-	TF	BELUS	-	267	268.9	9.2	-	-	-	-	RNAV1
-	TF	GIRED	-	279	281.4	15.5	-	-	-	-	RNAV1
-	TF	LSE	-	279	281.2	6.0	-	-	-	-	RNAV1
-	TF	MEBAK	-	261	263.3	18.7	-	-	-	-	RNAV1
MURRO 8A											
-	CF	SOCOF	-	217	219.1	4.8	-	-	-	-	RNAV1
-	TF	TOLNA	-	216	218.4	14.0	-	-	-	250	RNAV1
-	TF	BELUS	-	267	268.9	9.2	-	-	-	-	RNAV1
-	TF	GIRED	-	279	281.4	15.5	-	-	-	-	RNAV1
-	TF	LSE	-	279	281.2	6.0	-	-	-	-	RNAV1
-	TF	MURRO	-	229	230.9	39.0	-	-	-	-	RNAV1
ROMAM 8A											
-	CF	SOCOF	-	217	219.1	4.8	-	-	-	-	RNAV1
-	TF	TOLNA	-	216	218.4	14.0	-	-	-	250	RNAV1
-	TF	BELUS	-	267	268.9	9.2	-	-	-	-	RNAV1
-	TF	GIRED	-	279	281.4	15.5	-	-	-	-	RNAV1
-	TF	ROMAM	-	182	184.4	37.5	L	-	-	-	RNAV1