

Identification Procedure	RNP (GNSS) 21				MAG VAR 2020 0.9°E			vertical angle (°) / TCH (m)	Nav Spec		
	P/T	ID	Fly Over	Direction MAG °	Direction True °	Distance (NM or min)	Turn			MNIM level (FL or AMSL ft)	MAX level (FL or AMSL ft)
INA ROXIL	IF	ROXIL						3000	5000		RNP APCH
	TF	ILX21		213	213.5	4.6		3000	3000		RNP APCH
INA CTX	IF	CTX						3000	3000	220	RNP APCH
	TF	LX212		304	305.1	4.8	R	3000	3000	220	RNP APCH
	TF	LX214		034	035.1	7.6	R	3000	3000	185	RNP APCH
	TF	ILX21		122	122.9	4.5	R	3000	3000		RNP APCH
INA LX214	IF	LX214						3000	3000	185	RNP APCH
	TF	ILX21		122	122.9	4.5	R	3000	3000		RNP APCH
APCH	IF	ILX21						3000	3000	185	RNP APCH
	TF	FLX21		212	213.3	4.5		3000	3000		RNP APCH
	TF	RW21	YES	212	213.3	7.7					RNP APCH
	TF	LX210	YES	212	213.3	5				210	RNP APCH
DF	LX212					R	3000	3000			RNP APCH
HLDG	HF	CTX									RNAV 1