

PRECODING RNP RWY 16

RNP RWY 16														
RMK	Leg sequence	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MAG/VAR 2020 1.8°E			REF NAV AID : -		
									MNM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	Vertical angle (°) / TCH (m)	NAV Spec	
	HLDG	-	ARBON	-	-	-	-	-	-	-	-	-	-	-
		-	RIPTU	-	-	-	-	-	-	-	-	-	-	-
		IF	GOMET	-	-	-	-	-	FL 100	-	-	-	-	RNAV 1
	INA GOMET	TF	LY401	-	344	345.9	14.2	-	FL 100	-	-	-	-	RNP APCH
		TF	LY405	-	340	342	13.2	-	-	-	-	-	-	RNP APCH
		TF	LY407	-	324	325.5	12.5	-	-	-	-	-	-	RNP APCH
		TF	FAGOR	-	252	253.6	12	L	3000	3000	220	-	-	RNP APCH
		IF	RIPTU	-	-	-	-	-	FL 70	-	-	-	-	RNP APCH
	INA RIPTU	TF	LY407	-	222	224.1	11.4	-	-	-	-	-	-	RNP APCH
		TF	FAGOR	-	252	253.6	12	L	3000	3000	220	-	-	RNP APCH
		IF	ARBON	-	-	-	-	-	FL 100	-	-	-	-	RNP APCH
	INA ARBON	TF	LY411	-	348	349.7	21.8	-	FL 100	-	-	-	-	RNP APCH
		TF	LY413	-	348	349.6	15	-	-	-	-	-	-	RNP APCH
		TF	FAGOR	-	71	73.3	5.7	R	3000	3000	220	-	-	RNP APCH
		IF	TALAR	-	-	-	-	-	FL 70	-	-	-	-	RNP APCH
	INA TALAR	TF	LY413	-	126	128	6.9	-	-	-	-	-	-	RNP APCH
		TF	FAGOR	-	71	73.3	5.7	R	3000	3000	220	-	-	RNP APCH
		IF	FAGOR	-	-	-	-	-	3000	3000	220	-	-	RNP APCH
		TF	FLY16	-	162	163.3	4.1	-	3000	3000	-	-	-	RNP APCH
	APCH	TF	RW16	Yes	162	163.4	7.2	-	-	-	-	-3.0 / 15	-	RNP APCH
		TF	LY404	-	162	163.4	7.3	-	-	-	-	-	-	RNP APCH
		TF	ARBON	-	190	192.1	20.4	-	5000	-	-	-	-	RNP APCH