

PRECODING RNAV (GNSS) RWY 25 L

INA RNAV (GNSS) RWY 25L														
RMK	Leg sequence	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MAG VAR 2020 1.1°W			REF NAV AID : ARE		
									MNM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	Vertical angle (°) / TCH (m)	NAV Spec	
	HLDG	-	ARE	-	-	-	-	-	-	-	-	-	-	-
		-	MOKEB	-	-	-	-	-	-	-	-	-	-	-
	INA NOKVI	IF	NOKVI							FL110				RNP APCH
		TF	BODIL		206	204.7	22							RNP APCH
		IF	MOKEB											RNP APCH
	INA MOKEB	TF	SOPEX		238	236.7	11.5			FL060				RNP APCH
		TF	BODIL		257	256.0	22.0			3000ft				RNP APCH
		IF	SOPEX							FL060				RNP APCH
	INA SOPEX	TF	BODIL		257	256.0	22.0			3000ft				RNP APCH
		IF	ARE											RNP APCH
		TF	RB403		302	300.8	5.8			FL060				RNP APCH
	INA ARE	TF	RB407		302	300.8	10.0			3200ft				RNP APCH
		TF	BODIL		302	300.8	6.5			3000ft				RNP APCH