

RNP RWY 21													
RMK	Leg sequence	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn	MNIM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	Vertical angle (°) / TCH (m)	ref NAVAID : NTS
	INA NITEM	IF	NITEM	-	-	-	-	-	FL 70	FL100	-	-	RNAV 1
		TF	RS404	-	103	103.4	13	R	3000	-	210	-	RNAV 1
		TF	IRS21	-	130	130.1	5	R	-	-	-	-	RNAV 1
	INA NEDAN	IF	NEDAN	-	-	-	-	-	FL 70	FL100	-	-	RNAV 1
		TF	IRS21	-	220	220.4	9	-	-	-	-	-	RNAV 1
		IF	LAROK	-	-	-	-	-	FL 70	FL180	-	-	RNAV 1
	INA LAROK	TF	RS398	-	008	008.2	25	-	FL 70	-	-	-	RNAV 1
		TF	RS400	-	008	008.3	9	L	3000	-	210	-	RNAV 1
		TF	IRS21	-	310	310.2	5	L	-	-	-	-	RNAV 1
		IF	NORMI	-	-	-	-	-	FL 70	FL150	-	-	RNAV 1
	INA NORMI	TF	RS402	-	040	039.5	27	-	FL 70	-	-	-	RNAV 1
		TF	RS404	-	040	039.8	11	R	3000	-	210	-	RNAV 1
		TF	IRS21	-	130	130.1	5	R	-	-	-	-	RNAV 1
		IF	IRS21	-	-	-	-	-	3000	-	-	-	RNP APCH
		TF	FRS21	-	220	220.2	4	-	3000	3000	-	-	RNP APCH
	APCH	TF	MAPTS	Yes	220	220.1	7.7	-	-	-	-	-3.1°/15	RNP APCH
		TF	RS410	Yes	220	220.0	8.3	R	-	-	-	-	RNP APCH
		TF	NORMI	-	235	235.3	18.5	-	4000	-	-	-	RNP APCH
	HLDG	-	NORMI	-	-	-	-	-	-	-	-	-	-
	HLDG	-	NEDAN	-	-	-	-	-	-	-	-	-	-
	HLDG	-	NITEM	-	-	-	-	-	-	-	-	-	-
	HLDG	-	LAROK	-	-	-	-	-	-	-	-	-	-