

NANTES ATLANTIQUE
SID RNAV RWY 21
Codage proposé / Proposed coding

SID RNAV RWY 21											
RMK	GNSS requis/required						MAG VAR 2020 0,1°W			Ref NAVAID : VOR - DME NTS	
Procedure Identification	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MNM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	Nav Spec
ANG 4S											
	CF	LULID	YES	208	207.5	-	-	490	-	-	RNAV 1
	DF	VELUD	-	-	-	-	L	-	-	-	RNAV 1
	TF	ANG	-	038	037.7	30.3	-	-	-	-	RNAV 1
ANG 4T											
	CF	LULID	YES	208	207.5	-	-	490	-	-	RNAV 1
	DF	ELNER	-	-	-	-	R	-	-	-	RNAV 1
	TF	ANG	-	063	062.9	41.2	-	-	-	-	RNAV 1
BALNI 4S											
	CF	LULID	YES	208	207.5	-	-	490	-	-	RNAV 1
	DF	ELNER	-	-	-	-	R	-	-	-	RNAV 1
	TF	BALNI	-	008	007.8	23.6	-	-	-	-	RNAV 1
RIMON 4S											
	CF	LULID	YES	208	207.5	-	-	490	-	-	RNAV 1
	DF	MT	-	-	-	-	R	-	-	-	RNAV 1
	TF	RIMON	-	331	331.1	12	-	-	-	-	RNAV 1
ERBIN 4S											
	CF	LULID	YES	208	207.5	-	-	490	-	-	RNAV 1
	DF	MT	-	-	-	-	R	-	-	-	RNAV 1
	TF	ERBIN	-	290	289.4	12	-	-	-	-	RNAV 1
ERIGA 4S											
	CF	LULID	YES	208	207.5	-	-	-	-	-	RNAV 1
	CA	-	-	208	207.5	-	-	800	-	-	RNAV 1
	DF	NAZIR	-	-	-	-	R	-	-	-	RNAV 1
	TF	KEMUR	-	229	228.4	17.1	-	-	-	-	RNAV 1
	TF	ERIGA	-	208	207.7	6.8	-	-	-	-	RNAV 1
LUSON 4S											
	CF	LULID	YES	208	207.5	-	-	490	-	-	RNAV 1
	DF	SUBAK	-	-	-	-	L	-	-	-	RNAV 1
	TF	BOBRI	-	138	138	18.6	-	-	-	-	RNAV 1
	TF	LUSON	-	198	198.1	21.4	-	-	-	-	RNAV 1
LUGEN 4S											
	CF	LULID	YES	208	207.5	-	-	490	-	-	RNAV 1
	DF	SUBAK	-	-	-	-	L	-	-	-	RNAV 1
	TF	BOBRI	-	138	138	18.6	-	-	-	-	RNAV 1
	TF	LUGEN	-	138	138.3	20.5	-	-	-	-	RNAV 1

←

←