

| RNP Y RWY 27 (LNAV-VNAV seulement / only) | | | | | | | | | | | | | |
|---|--|-----------------|-------------------------|----------|-------------------|--------------------|---------------|----------------|------------------------------|------------------------------|--------------|------------------------------|----------|
| RMK | Leg sequence | Path Terminator | Waypoint Identification | Fly Over | Direction MAG (°) | Direction True (°) | Distance (NM) | Turn direction | MAG VAR 2020 0.2°E | | | REF NAV AID : BMC | |
| | | | | | | | | | MNM Altitude (FL or AMSL ft) | MAX Altitude (FL or AMSL ft) | MAX IAS (kt) | Vertical angle (°) / TCH (m) | NAV Spec |
| | INA BS272 | IF | BS272 | - | - | - | - | - | 2000 | - | 140 | - | RNP APCH |
| | | TF | IBS27 | - | 001 | 001.1 | 5.0 | - | 2000 | 2000 | 140 | - | RNP APCH |
| | INA LAPOS | IF | LAPOS | - | - | - | - | - | - | - | 140 | - | RNP APCH |
| | | TF | IBS27 | - | 295 | 295.5 | 3.6 | - | 2000 | 2000 | 140 | - | RNP APCH |
| | INA BS271 | IF | BS271 | - | - | - | - | - | 2000 | - | 140 | - | RNP APCH |
| | sur instruction CTL on ATC instruction | TF | IBS27 | - | 181 | 181.1 | 5.0 | - | 2000 | 2000 | 140 | - | RNP APCH |
| | | IF | BRS | - | - | - | - | - | - | - | 140 | - | RNP APCH |
| | INA BRS | TF | BS274 | - | 133 | 133.1 | 7.2 | - | - | - | - | - | RNP APCH |
| | | TF | BS272 | - | 091 | 091.0 | 3.0 | - | 2000 | - | 140 | - | RNP APCH |
| | | TF | IBS27 | - | 001 | 001.1 | 5.0 | L | 2000 | 2000 | 140 | - | RNP APCH |
| | | IF | IBS27 | - | - | - | - | - | 2000 | 2000 | 140 | - | RNP APCH |
| | | TF | FBS27 | - | 271 | 271.1 | 3.0 | - | 2000 | 2000 | 120 | - | RNP APCH |
| | APCH | TF | RW27 | Yes | 271 | 271.1 | 5.3 | - | - | - | 110 | -3.3°/ 12 | RNP APCH |
| | | DF | BS270 | - | - | - | - | L | - | - | 140 | - | RNP APCH |
| | | TF | BS272 | - | 091 | 091.0 | 8.0 | L | 2000 | - | 140 | - | RNP APCH |