

RNP RWY 27													
RMK	Leg sequence	MAG VAR 2020 1.2°E							REF NAV/VAID :				
		Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MNM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	Vertical angle (°) / TCH (ft)	Navigation Accuracy (NM)
HLDG		-	RWY27	-	-	-	-	-	-	-	-	-	-
		IF	RWY27	-	-	-	-	-	4000	4000	210	-	-
INA RWY27		TF	C1610	-	268	269.3	4.8	-	-	-	-	-	1.0
		TF	C612	-	358	359.3	5.0	-	-	-	-	-	1.0
		TF	C1614	-	88	089.3	7.0	-	-	-	-	-	1.0
		TF	C1602	-	88	089.4	9.2	-	-	-	-	-	1.0
		TF	IC127	-	178	179.3	5.0	-	3500	-	-	-	1.0
INA C1602		IF	C1602	-	-	-	-	-	4000	-	210	-	-
		TF	IC127	-	178	179.3	5.0	-	3500	-	-	-	1.0
		IF	C1604	-	-	-	-	-	4000	-	210	-	-
INA C1604		TF	C1605	-	088	089.3	5.0	-	3500	-	-	-	1.0
		TF	IC127	-	358	359.3	5.0	-	3500	-	-	-	1.0
		IF	IC127	-	-	-	-	-	3900	-	210	-	-
APCH		IF	IC127	-	-	-	-	-	3500	-	-	-	-
		TF	FC127	-	268	269.5	5.0	-	3000	3000	-	-	1.0
		TF	RW27	YES	268	269.4	6.4	-	-	-	-	-3.50/50	0.3
		TF	C1610	-	268	269.3	4.8	-	-	-	-	-	1.0
		TF	C1612	-	358	359.3	5.0	-	-	-	160	-	1.0
		TF	C1614	-	088	089.3	7.0	-	4000	-	-	-	1.0
		TF	C1602	-	088	089.4	9.2	-	-	210	-	-	1.0