

CHAMBERY AIX LES BAINS
SID RNAV RWY 18
(Protégés pour / Protected for CAT A, B, C)

SID RNAV RWY 18											
RMK	GNSS required						MAG VAR 2020 2.1°E			REF NAVAID : VOR-DME CBY	
Procedure Identification	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MNM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	NAV Spec
VENAT 8L											
-	CF	LB620	Yes	175	176.7	4.1	-	-	-	175	RNAV 1
-	DF	LB621	-	-	-	-	L	-	FL090	175	RNAV 1
-	TF	BANEK	-	001	003.4	7.2	-	-	-	200	RNAV 1
-	TF	VENAT	-	045	047.1	41.4	-	-	-	-	RNAV 1
ODIKI 8L											
-	CF	LB620	Yes	175	176.7	4.1	-	-	-	175	RNAV 1
-	DF	LB621	-	-	-	-	L	-	FL090	175	RNAV 1
-	TF	BANEK	-	001	003.4	7.2	-	-	-	200	RNAV 1
-	TF	LB623	-	045	047.1	20.9	-	FL130	-	-	RNAV 1
-	TF	ODIKI	-	131	133.0	6.2	-	FL150	-	220	RNAV 1
ESAPI 8L											
-	CF	LB620	Yes	175	176.7	4.1	-	-	-	175	RNAV 1
-	DF	LB621	-	-	-	-	L	-	FL090	175	RNAV 1
-	TF	BANEK	-	001	003.4	7.2	-	-	-	200	RNAV 1
-	TF	LB622	-	045	047.1	18.4	-	FL130	-	-	RNAV 1
-	TF	ESAPI	-	141	143.4	7.1	-	FL150	-	220	RNAV 1
PAS 8L											
-	CF	LB620	Yes	175	176.7	4.1	-	-	-	175	RNAV 1
-	DF	LB621	-	-	-	-	L	-	FL090	175	RNAV 1
-	TF	BANEK	-	001	003.4	7.2	-	-	-	200	RNAV 1
-	TF	PAS	-	011	013.2	23.9	-	-	-	-	RNAV 1
PIRUV 8L											
-	CF	LB620	Yes	175	176.7	4.1	-	-	-	175	RNAV 1
-	DF	LB621	-	-	-	-	L	-	FL090	175	RNAV 1
-	TF	BELUS	-	273	275.5	11.2	-	-	-	200	RNAV 1
-	TF	KENZO	-	344	346.3	7.3	-	-	-	-	RNAV 1
-	TF	GOVNA	-	006	008.0	5.1	-	-	-	-	RNAV 1
-	TF	PIRUV	-	096	097.9	4.5	-	-	FL090	210	RNAV 1
MOKIP 8L											
-	CF	LB620	Yes	175	176.7	4.1	-	-	-	175	RNAV 1
-	DF	LB621	-	-	-	-	L	-	FL090	175	RNAV 1
-	TF	BELUS	-	273	275.5	11.2	-	-	-	200	RNAV 1
-	TF	MAXUS	-	301	303.5	10.7	-	-	-	-	RNAV 1
-	TF	DANBO	-	301	303.4	16.2	-	FL150	-	-	RNAV 1
-	TF	MOKIP	-	001	002.6	31.7	-	-	-	-	RNAV 1
DANBO 8L											
-	CF	LB620	Yes	175	176.7	4.1	-	-	-	175	RNAV 1
-	DF	LB621	-	-	-	-	L	-	FL090	175	RNAV 1
-	TF	BELUS	-	273	275.5	11.2	-	-	-	200	RNAV 1
-	TF	MAXUS	-	301	303.5	10.7	-	-	-	-	RNAV 1
-	TF	DANBO	-	301	303.4	16.2	-	-	-	-	RNAV 1
MEBAK 8L											
-	CF	LB620	Yes	175	176.7	4.1	-	-	-	175	RNAV 1
-	DF	LB621	-	-	-	-	L	-	FL090	175	RNAV 1
-	TF	BELUS	-	273	275.5	11.2	-	-	-	200	RNAV 1
-	TF	GIRED	-	279	281.4	15.5	-	-	-	-	RNAV 1
-	TF	LSE	-	279	281.2	6.0	-	-	-	-	RNAV 1
-	TF	MEBAK	-	261	263.2	18.7	-	-	-	-	RNAV 1
MURRO 8L											
-	CF	LB620	Yes	175	176.7	4.1	-	-	-	175	RNAV 1
-	DF	LB621	-	-	-	-	L	-	FL090	175	RNAV 1
-	TF	BELUS	-	273	275.5	11.2	-	-	-	200	RNAV 1
-	TF	GIRED	-	279	281.4	15.5	-	-	-	-	RNAV 1
-	TF	LSE	-	279	281.2	6.0	-	-	-	-	RNAV 1
-	TF	MURRO	-	229	230.9	39.0	-	-	-	-	RNAV 1
ROMAM 8L											
-	CF	LB620	Yes	175	176.7	4.1	-	-	-	175	RNAV 1
-	DF	LB621	-	-	-	-	L	-	FL090	175	RNAV 1
-	TF	BELUS	-	273	275.5	11.2	-	-	-	200	RNAV 1
-	TF	GIRED	-	279	281.4	15.5	-	-	-	-	RNAV 1
-	TF	ROMAM	-	182	184.4	37.5	L	-	-	-	RNAV 1
LTP 8L											
-	CF	LB620	Yes	175	176.7	4.1	-	-	-	175	RNAV 1
-	DF	LB621	-	-	-	-	L	-	FL090	175	RNAV 1
-	TF	BANEK	Yes	001	003.4	7.2	-	-	-	200	RNAV 1
-	DF	LTP	-	-	-	-	L	-	-	200	RNAV 1