

LYON SAINT EXUPERY

PRECODING INA RNAV RWY 17L

INA RNAV RWY 17L												
RMK	GNSS seulement/only Linked to FNA RNP RWY17L and FNA ILS RWY17L							MAG VAR 2015 01.1°E			REF NAVAID : -	
Leg sequence	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MNM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	Vertical angle (°) / TCH (m)	NAV Spec
HLDG	-	ARBON	-	-	-	-	-	-	-	-	-	RNAV 1
HLDG	-	GOMET	-	-	-	-	-	-	-	-	-	RNAV 1
HLDG	-	RIPTU	-	-	-	-	-	-	-	-	-	RNAV 1
HLDG	-	TALAR	-	-	-	-	-	-	-	-	-	RNAV 1
INA RIPTU3S	IF	RIPTU	-	-	-	-	-	FL070	-	-	-	RNAV 1
	TF	LL713	-	238	239.1	5.1	-	5000	-	-	-	RNAV 1
	TF	LL711	-	238	239.1	4.0	-	-	-	-	-	RNAV 1
	TF	LL710	-	238	239.0	4.0	-	4000	-	220	-	RNAV 1
	TF	EKMEP	-	174	174.8	4.0	-	3000	4500	220	-	RNAV 1
INA TALAR3S	IF	TALAR	-	-	-	-	-	FL070	-	-	-	RNAV 1
	TF	LL714	-	074	075.0	11.5	-	5000	-	-	-	RNAV 1
	TF	LL712	-	094	094.7	4.0	-	-	-	-	-	RNAV 1
	TF	LL710	-	094	094.8	4.0	-	4000	-	220	-	RNAV 1
	TF	EKMEP	-	174	174.8	4.0	-	3000	4500	220	-	RNAV 1
INA ARBON3S	IF	ARBON	-	-	-	-	-	FL100	-	-	-	RNAV 1
	TF	LL706	-	013	013.8	16.5	-	FL080	-	-	-	RNAV 1
	TF	LL704	-	353	354.3	14.8	-	-	-	-	-	RNAV 1
	TF	LL702	-	353	354.3	4.0	-	5000	-	-	-	RNAV 1
	TF	LL700	-	019	019.6	4.0	-	4000	-	220	-	RNAV 1
INA GOMET3S	TF	EKMEP	-	085	086.1	4.1	-	3000	4500	220	-	RNAV 1
	IF	GOMET	-	-	-	-	-	-	-	-	-	RNAV 1
	TF	LL719	-	327	328.4	10.3	-	-	-	-	-	RNAV 1
	TF	LL709	-	357	357.6	8.6	-	FL100	-	-	-	RNAV 1
	TF	LL707	-	357	357.6	6.8	-	FL070	-	-	-	RNAV 1
	TF	LL705	-	331	332.3	4.9	-	-	-	-	-	RNAV 1
	TF	LL703	-	317	317.9	4.0	-	5000	-	-	-	RNAV 1
TF	LL701	-	317	317.9	4.0	-	4000	-	220	-	RNAV 1	
TF	EKMEP	-	263	264.3	4.0	-	3000	4500	220	-	RNAV 1	