

BALE MULHOUSE
(Protégés pour / Protected for CAT A, B, C, D)

SID RNAV RWY 15											
RMK Procedure Identification	GNSS only Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MAG VAR 2015 1.7°E		Ref NAV AID :	
								MINM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)		MAX IAS (kt)
ELBEG 7S											
	CF	BS	Yes	153	154.9						RNAV 1
	CA			153	154.9			1900			RNAV 1
	DF	BN					R			220	RNAV 1
	TF	ELBEG		077	078.9	11.2	R				RNAV 1
OLBEN 7Y											
	CF	SB616		153	154.9						RNAV 1
	TF	OLBEN		174	176.0	10.0	R				RNAV 1
OLBEN 7S											
	CF	BS	Yes	153	154.9						RNAV 1
	CA			153	154.9			1900			RNAV 1
	CF	SB612		256	257.7		R			220	RNAV 1
	TF	SB614		166	168.0	5.4	L			220	RNAV 1
	TF	OLBEN		139	140.3	10.7	L				RNAV 1
LUMEL 7S											
	CF	BS	Yes	153	154.9						RNAV 1
	CA			153	154.9			1900			RNAV 1
	CF	SB612		256	257.7		R			220	RNAV 1
	TF	LUMEL		236	237.4	13.6	L				RNAV 1
TORPA 7S											
	CF	BS	Yes	153	154.9						RNAV 1
	CA			153	154.9			1900			RNAV 1
	CF	SB600		264	265.9		R			220	RNAV 1
	TF	SB618		255	256.8	18.8	L				RNAV 1
	TF	TORPA		272	273.6	13.8	R				RNAV 1
MOROK 7S											
	CF	BS	Yes	153	154.9						RNAV 1
	CA			153	154.9			1900			RNAV 1
	CF	SB600		264	265.9		R			220	RNAV 1
	TF	SB618		255	256.8	18.8	L				RNAV 1
	TF	MOROK		252	253.5	14.4	L				RNAV 1
LASAT 7S											
	CF	BS	Yes	153	154.9						RNAV 1
	CA			153	154.9			1900			RNAV 1
	DF	BN					R			220	RNAV 1
	TF	DELUG		333	334.8	8.3	L				RNAV 1
	TF	LASAT		307	308.3	36.2	L				RNAV 1