

TOTEGEGIE
PRECODING RNAV (GNSS) RWY 30

RNP RWY 30												
RMK	MAG VAR 2015 14.4°E											REF NAVAID :-
Leg sequence	Path Terminator	Waypoint Identification	Fly Over	Direction MAG (°)	Direction True (°)	Distance (NM)	Turn direction	MNM Altitude (FL or AMSL ft)	MAX Altitude (FL or AMSL ft)	MAX IAS (kt)	Vertical angle (°) / TCH (m)	NAV Spec
HLDG	-	REPAS	-	-	-	-	-	-	-	-	-	-
INA ESGAN	IF	ESGAN	-	-	-	-	-	1700	-	-	-	RNAV1 / RNP APCH
	TF	MANVU	-	212	226.5	5.0	-	1700	-	-	-	RNAV1 / RNP APCH
INA REPAS	IF	REPAS	-	-	-	-	-	2600	-	-	-	RNAV1 / RNP APCH
	TF	GJ420	-	077	091.6	6.8	-	2600	-	-	-	RNAV1 / RNP APCH
	TF	ESGAN	-	120	134.9	5.6	-	1700	-	-	-	RNAV1 / RNP APCH
	TF	MANVU	-	212	226.5	5.0	R	1700	-	-	-	RNAV1 / RNP APCH
	IF	MANVU	-	-	-	-	-	1700	-	-	-	RNAV1 / RNP APCH
APCH	IF	MANVU	-	-	-	-	-	1700	-	-	-	RNP APCH
	TF	FGJ30	-	302	316.5	5.0	-	1700	1700	-	-	RNP APCH
	TF	RW30	Yes	302	316.5	5.1	-	-	-	-	-3.0 / 15	RNP APCH
	CA	-	-	302	316.5	-	-	1000	-	-	-	RNP APCH
	DF	GJ420	-	-	-	-	R	-	-	-	-	RNP APCH
	TF	ESGAN	-	120	134.9	5.6	-	1700	-	-	-	RNP APCH

